## PATENT COOPERATION TREATY

# **PCT**

REC'D 0 7 NOV 2006

PCT

# INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or a	gent's file reference	FOR FURTHER AC	TION	See Form PCT/IPEA/416		
71189-1683						
International application No.		International filing date	-	Priority date (day/month/year)		
PCT/US05/06360		01 March 2005 (01.03.20	005)	02 March 2004 (02.03.2004)		
	International Patent Classification (IPC) or national classification and IPC					
IPC: A47L 5/28( 2006.01),9/16( 2006.01),9/28( 2006.01),9/00( 2006.01),9/32( 2006.01) USPC: 15/324,329,352,353,383,DIG 1						
Applicant						
BISSELL HOMECARE, INC.						
<ol> <li>This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.</li> </ol>						
2. Thi	. This REPORT consists of a total of sheets, including this cover sheet.					
3. This	3. This report is also accompanied by ANNEXES, comprising:					
a. [	a. $\int \int (sent to the applicant and to the International Bureau)$ a total of $\int \int sheets$ , as follows:					
ik)	sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).					
_	sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.					
b. <u>[</u>	, containir	ng a sequence listing a Supplemental Box R	nd/or tables related t	and number of electronic carrier(s)) thereto, in electronic form only, as Listing (see Section 802 of the		
4. This	report contains indica	tions relating to the follo	wing items:			
$\boxtimes$	Box No. I Ba	asis of the report	_			
	Box No. II Pr	iority				
		on-establishment of opin plicability	ion with regard to nov	elty, inventive step and industrial		
		ck of unity of invention				
$\boxtimes$	Box No. V Re	asoned statement under	r Article 35(2) with	regard to novelty, inventive step or supporting such statement		
		rtain documents cited	mons and explanation	s supporting such statement		
$\boxtimes$	Box No. VII Ce	rtain defects in the inter	national application			
$\boxtimes$	Box No. VIII Ce	rtain observations on the	international applicat	ion		
Date of submission of the demand		Date of completion of	of this report			
19 December 2005 (19.12.2005)		03 October 2006 (03.1	0.2006)			
	g address of the IPEA/ U	S	Authorized officer			
	p PCT, Attn: IPEA/US sioner for Patents		,	Jean Prodor		
P.O. Bo	c 1450		Theresa T. Snider	Paralegal Specialist		
Alexand Facsimile No. (57	ria, Virginia 22313-1450 (1) 273-3201		Telephone No. (571) 2	272-1300		
orm PCT/IPEA/409 (cover sheet)(April 2005)						

International application No.	
PCT/US05/06360	

Bo	x No.	I Basis of the report
1.	With	regard to the language, this report is based on:
	$\boxtimes$	the international application in the language in which it was filed.
		a translation of the international application into $\underline{\text{English}}$ , which is the language of a translation furnished for the purposes of:
		international search (under Rules 12.3 and 23.1(b))
		publication of the international application (under Rule 12.4(a))
		international preliminary examination (under Rules 55.2(a) and/or 55.3(a))
	to the	regard to the <b>elements</b> of the international application, this report is based on (replacement sheets which have been furnished a receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not used to this report):
		the international application as originally filed/furnished
	$\boxtimes$	the description:
		pages 1-13 as originally filed/furnished pages* NONE received by this Authority on
		pages* NONE received by this Authority on
	$\boxtimes$	the claims:
		pages <u>NONE</u> as originally filed/furnished
		pages* NONE as amended (together with any statement) under Article 19
		pages* 14-17 received by this Authority on 19 December 2005
		pages* NONE received by this Authority on
	$\boxtimes$	the drawings:
		pages <u>1/13-13/13</u> as originally filed/furnished
		pages* NONE received by this Authority on
		pages* NONE received by this Authority on
		a sequence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing.
3.		The amendments have resulted in the cancellation of:
		the description, pages
		the claims, Nos
		the drawings, sheets/figs
		the sequence listing (specify):
		any table(s) related to the sequence listing (specify):
4.		This report has been established as if (some of) the amendments annexed to this report and listed below had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).
		the description, pages
		the claims, Nos.
		the drawings, sheets/figs
		the sequence listing (specify):
		any table(s) related to the sequence listing (specify):
* 74	itom	4 applies, some or all of those sheets may be marked "superseded."
<u></u>	DOT	7 appress some of an of union streets may be married supersedent.

International application No. PCT/US05/06360

Statement			
Novelty (N)	Claims	1-22	YE
- ,		NONE	N
Inventive Step (IS)	Claims		YE
inventive Step (13)		NONE	
Industrial Applicability (IA)	Claims	1-22	
	Claims	NONE	N
NEW CITATIONS			
aims 1-22 meet the criteria set out in PCT Article n be made or used in industry.	33(4), and thus	possess industrial applicability because	e the subject matter claimed
NEW CITATIONS			

International application No.

PCT/US05/06360

Box No. VII	Certain defects in the international application					
The following defects in the form or contents of the international application have been noted:						
Claims 1-20 are of line 14, claim 19, with 'charging'.	Claims 1-20 are objected to under PCT Rule 66.2(a)(iii) as containing the following defect(s) in the form or contents thereof: Claim 1, line 14, claim 19, line 3 and calim 20, line 2, "particle' should be insered after 'cyclone'. Claim 7, line 3, 'changing' should be replaced					
W1-1-1						
	-					

Form PCT/IPEA/409 (Box No. VII) (April 2005)

International application No.

PCT/US05/06360

Box No. VIII Certain observations on the international application				
The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:				
Claims 21-22 are objected to under PCT Rule 66.2(a)(v) as lacking clarity under PCT Article 6 because claims 21-22 are indefinite for the following reason(s): claim 21, line 17, 'cyclone' should be deleted and line 18, 'the suction conduit' lacks proper antecedent basis.				

Form PCT/IPEA/409 (Box No. VIII) (April 2005)

#### **CLAIMS**

#### What is claimed is:

A vacuum cleaner comprising:
 a foot assembly having a suction nozzle;
 an upright handle assembly pivotally mounted to the foot assembly for manipulation of the foot assembly along a surface to be cleaned; and

a portable cleaning module detachably mounted to the handle assembly so that the vacuum cleaner can be operated as an upright vacuum cleaner when the portable cleaning module is mounted to the handle assembly or as a portable vacuum cleaner when the portable cleaning module is detached from the handle assembly, the portable cleaning module comprising:

10 a module housing;

5

15

20

a cyclone particle separator mounted to the module housing and having an inlet;

a suction conduit having a first end connected to the inlet of the cyclone separator and a second end removably coupled to the suction nozzle;

a motor and fan assembly supported in the module housing for creating a working air flow from the suction nozzle to the cyclone particle separator through the suction conduit; and

a portable power source coupled to the motor and fan assembly for supplying power to the motor and fan assembly when the portable cleaning module is detached from the handle assembly for operation of the vacuum cleaner as a portable vacuum cleaner.

- 2. The vacuum cleaner according to claim 1 wherein the portable power source is adapted to supply power to the motor and fan assembly when the portable cleaning module is mounted to the handle assembly for operation of the vacuum cleaner as an upright vacuum cleaner.
- 3. The vacuum cleaner according to claim 1 wherein the portable power source comprises a battery pack.

5

- 4. The vacuum cleaner according to claim 3 wherein the battery pack comprises a rechargeable battery.
- 5. The vacuum cleaner according to claim 1 and further comprising a charging unit mounted in one of the foot assembly and the portable cleaning module and selectively coupled to the portable power source for charging the portable power source.
- 6. The vacuum cleaner according to claim 5 and further comprising a transformer in electrical communication with the charging unit and a stationary power source for converting alternating current from the stationary power source to direct current for the portable power source.
- 7. The vacuum cleaner and charging base assembly comprising a vacuum cleaner according to claim 1 and a charging base to which the foot assembly removably docks, the changing base comprising a charging unit that connects to the portable power source for charging the power source when the foot assembly is docked with the charging base.
- 8. The vacuum cleaner according to claim 1 and further comprising an agitator driven by an agitator motor, both mounted to the foot assembly, and the portable cleaning module comprises an interlock switch in communication with the agitator motor, wherein the interlock switch closes when the portable cleaning module is mounted to the handle assembly to electrically couple the portable power source with the agitator motor.
- 9. The vacuum cleaner according to claim 8 and further comprising a user operated agitator switch between the portable power source and the interlock switch for controlling power to the agitator motor.
- 10. The vacuum cleaner according to claim 9 and further comprising a user operated main power switch between the portable power source and agitator switch.
- 11. The vacuum cleaner according to claim 9 and further comprising a lamp mounted to the foot assembly and electrically connected to the interlock switch

so that the portable power source supplies power to the lamp when the portable cleaning module is mounted to the handle assembly and the agitator switch is closed.

- 12. The vacuum cleaner according to claim 1 and further comprising a user operated main power switch between the portable power source and the motor and fan assembly for controlling power to the motor and fan assembly.
- 13. The vacuum cleaner according to claim 12 and further comprising a power cord coupled to the main power switch and having a plug that can be removably coupled to a stationary power source for providing power to the motor and fan assembly.
- 14. The vacuum cleaner according to claim 13 wherein the power cord is mounted to the portable cleaning module.
- 15. The vacuum cleaner according to claim 13 wherein the power cord is arranged in parallel relative to the portable power supply.
- 16. The vacuum cleaner according to claim 1 wherein the particle separator further comprises an outlet opening and the motor and fan assembly includes an inlet opening connected to the outlet opening of the particle separator for drawing the working air flow through the particle separator.
- 17. The vacuum cleaner according to claim 1 wherein the motor and fan assembly comprises an inlet opening connected to the first end of the suction conduit and an outlet opening connected to the inlet opening of the particle separator.
- 18. The vacuum cleaner according to claim 1 wherein the foot assembly further comprises an air conduit coupling and a working air conduit coupled to the suction nozzle at a first end and to the air conduit coupling at a second end, and wherein the portable cleaning module further comprises a hose fitting that removably receives the second end of the suction conduit and mates with the air conduit coupling when the portable cleaning module is mounted to the handle assembly to fluidly communicate the suction nozzle with the particle separator.

19. The vacuum cleaner of any of claims 1-18 wherein the portable cleaning module further comprises a dirt cup removably mounted to the module housing to collect particles separated from the working air flow by the cyclone separator. 20. The vacuum cleaner according to claim 19 wherein the dirt cup is mounted below the cyclone separator.

#### 21. A vacuum cleaner comprising:

a foot assembly having a working air path including a suction nozzle and an air conduit coupling;

an upright handle assembly pivotally mounted to the foot assembly for manipulation of the foot assembly along a surface to be cleaned; and

a portable cleaning module detachably mounted to the handle assembly so that the vacuum cleaner can be operated as an upright vacuum cleaner when the portable cleaning module is mounted to the handle assembly or as a portable vacuum cleaner when the portable cleaning module is detached from the handle assembly, the portable cleaning module comprising:

a module housing;

a particle separator mounted to the module housing and having an

inlet;

an elongated flexible hose having a first end connected to the inlet of the particle separator and a second end removably coupled to the air conduit coupling; a motor and fan assembly supported in the module housing for creating a working air flow from the suction nozzle to the cyclone particle separator through the suction conduit; and

a portable power source coupled to the motor and fan assembly for supplying power to the motor and fan assembly when the portable cleaning module is detached from the handle assembly for operation of the vacuum cleaner as a portable vacuum cleaner.

22. The vacuum cleaner according to claim 21 wherein the particle separator comprises a bag filter.